

New Insights into the Fundamental Principle of Semiconductor Photocatalysis

Baoshun Liu,^{a*} Hao Wu,^a Ivan P. Parkin,^b

^aState Key Laboratory of Silicate Materials for Architectures, Wuhan University of

Technology, Wuhan city, Hubei Province 430070, People's Republic of China

^bDepartment of Chemistry, Materials Chemistry Centre, University College London, 20

Gordon Street, London WC1H 0AJ, U.K.




Figure S1. On-line photoconductances of TiO₂ coating in the course of acetone photocatalytic oxidations at different temperatures




Figure S2. Change of acetone concentration in the course of acetone photocatalytic oxidations at different temperatures




Figure S3. On-line photoconductances of TiO₂ coating in the course of acetone photocatalytic oxidations under illumination of 365 nm monochromatic light with different light intensities




Figure S4. Change of acetone concentration in the course of acetone photocatalytic oxidations under illumination of 365 nm monochromatic light with different light intensities




Figure S5. CO₂ evolutions during the dark catalytic oxidations of acetone




Figure S6. CO₂ evolutions during the catalytic oxidations of acetone under simultaneous illumination of 365 nm monochromatic light illumination




Figure. S7. CO₂ evolutions during the dark catalytic oxidations of formaldehyde




Figure S8. CO₂ evolutions during the catalytic oxidations of formaldehyde under simultaneous 365 nm monochromatic light illumination